## PROFESSIONAL COOLANT PRODUCT



## **ANTIRUST COOLANT** COOLANT 10

## Glycol solvents / Inorganic salts blend

- Works great in warm climate conditions
- Provides protection against rust
- Can be used on a variety of metal alloys
- Biodegradable

Appearance: Fluorescent Green liquid

with no particular odor. **Boiling point:** 105-110 °C Specific gravity: 1.06 gr/cc Non volatiles: Not Determined Solubility in water: Soluble

Flash point: None

Storage stability: Keep away from direct

sun light and open flames

pH of liquid: 11-12

Flammability: Non-flammable Packaging: 55 gallon Drum

solution formulated for direct use in warm climate conditions. It has special coolant characteristics due to its glycol solvents content. It contains specific inorganic salts that are blended and selected to act as antirust agents, and other additives to enhance the performance of your refrigeration system and radiators. It also contains salts to prevent re-deposition in the loop

COOLANT 10 is an coolant, antirust, anti-scale

COOLANT 10 can be used for different metal alloys, including iron, soft steel and aluminum. It also protects brass and copper. It works in warm conditions to efficiently cool the water in the refrigerating system and in extreme hot engine conditions. Green fluorescent dye allows leaks in the refrigeration system to be detected easily.

COOLANT 10 can be used in cars, trucks, busses, lorries and other refrigeration systems. For better results, use de-mineralized or filtered water. Before using product, clean cooling system if the radiator and coil contain excessive mineral deposits. Refer to the attached SDS for additional precautions. The information tained in this safety sheet is aimed at creating a guide for the selection and use of the product. However, we are not responsible for any use not recommended by ChemTron.

ChemTron 3911 SW 47th AVE Davie, Florida 33314

Fax: (954) 584 - 4531

www.chemtron.com



Properties are typical and subject to usual manufacturing tolerances.