## ROFESSIONAL ENGINEERING PRODUCTS



## **PROTECTIVE COATING**

## **METAL PARTS PROTECTOR**

## EATURES

- Flexible coat seals metal parts against Corrosion and Rust
- Effective from –40°F to 175°F
- Non-Tacky / Dust Resistant
- Highly resistant to salt spray and harsh weather
- Ideal for use outdoors and in oceanic environment
- Easily removed with Mineral Spirits

Appearance: Colorless liquid with

solvent odor.

**Boiling point:** 206 °F **Specific gravity:** 0.96 gr/cc

**Total VOC: 12 %** 

Solubility in water: Complete

Flash point: -156 °F

Storage stability: Keep away from high

temperatures and open flames

**pH of liquid:** 9.5-10.5

Flammability: Flammable Aerosol

Packaging: 12x14oz Net. Wt. Cans/Case

3911 SW 47th AVE Davie, Florida 33314 Tel: (954) 584 - 4530 Fax: (954) 584 - 4531

ChemTron

www.chemtron.com

METAL PARTS PROTECTOR is a long term, non-tacky coating that provides protections to metal parts over a range of temperatures (-40°F to 175°F). This dust resistant coating is very flexible allowing it to move freely without cracking, peeling or flaking. It also provides translucent coating that allows identification codes underneath to be easily read. Unlike other coatings that are difficult to remove and require special solvents, Metal Parts Protector can be flushed off easily with mineral spirits. It is ideal for use on large molds, castings, metal parts in transit, seasonal equipment in storage, offshore drilling parts and more.

Refer to the label and attached SDS for instructions and precautions. The information contained in this safety sheet is aimed at creating a guide for the selection and use of the product. However, we are not responsible for any use not recommended by ChemTron.

AVE 33314 - 4530 - 4531 .com

 Properties are typical and subject to usual manufacturing tolerances.