



TIRE TREATMENT

TIREX 3

FEATURES

- Concentrated, Water Based Formula
- Provides long lasting protective coat
- High gloss shine enhances appearance
- New and Improved Formula

PROPERTIES

Appearance: Milky white emulsion with pleasant fragrance.

Boiling point: 210 °F

Specific gravity: 0.95-1.00 gr/cc

Non volatiles: 20-25 %

Flash point: None

Solubility in water: Insoluble

Storage stability: Keep away from high temperatures, open flames, and oxidizers

pH of liquid: 7-8


Flammability: Non-Flammable

Packaging: 4x1 gallon Case
12 Qt. Case
5 gallon Pail
55 gallon Drum

TIREX 3 is specially formulated to penetrate and protect tires and all other rubber parts. TIREX 3 provides a long lasting coating that protects tires and adds an attractive, high gloss shine. Prior to application, surface should be cleaned and rinsed. Apply directly on tire and leave to dry. For best results, wipe with cloth to form a uniform film. This concentrated formula can be diluted with water at a 1 to 5 ratio. For more frequent, maintenance usage, product can be diluted at a 1 to 15 ratio with water.

Refer to the label and SDS for additional instructions and precautions. The information contained in this safety sheet is aimed at creating a guide for the selection and use of the product. However, we are not responsible for any use not recommended by ChemTron.

ChemTron
3911 SW 47th AVE
Davie, Florida 33314
Tel: (954) 584 - 4530
Fax: (954) 584 - 4531
www.chemtron.com



- Properties are typical and subject to usual manufacturing tolerances.