

**AEROSOL CLEANER****CONTACT CLEANER****FEATURES**

- Removes contaminants from electronic and electromechanical parts
- Non-Flammable Spray
- Dries fast and leaves zero residue
- Non-corrosive
- 31,000 Volt Dielectric Strength
- For use on circuit boards, circuit breakers, terminals, tuners, office equipment, audio and visual recording equipment

**PROPERTIES**

**Chemical Composition:** Chlorinated and Fluorinated Solvent Mixture

**Appearance:** Colorless Liquid

**Odor:** Faint Solvent Odor

**Density:** 1.55 g/ml

**Non volatiles:** <1 %

**Solubility in water:** Insoluble

**Storage stability:** Keep away from high temperatures, flames, and acids

**Boiling point:** 124 °F

**Flammability:** Non-Flammable Aerosol

**pH:** N/A

**Packaging:**

12 x 10 oz Net Wt. Cans / Case

Properties are subject to usual manufacturing tolerances.

**CONTACT CLEANER is a high purity, high dielectric strength, non-flammable spray specially formulated to remove oil, grease, condensation, and other contaminants from sophisticated electronic and electromechanical parts.**

**CONTACT CLEANER is fast drying. The solvent system has tested safe on:** Neoprene, Buna, Silicone, Butyl and Natural Rubber, Nylon, Hypalon®, PTFE, PVC, Polyurethane, Polyethylene, Polypropylene, and Epoxy materials. Its 31,000 dielectric strength makes it ideal for use on circuit boards, circuit breakers, relays, control panels and other electronic equipment. Not recommended for use on Acrylic, ABS or Polycarbonate materials. For best results, spot test on a small hidden surface area prior to general use.

**CONTACT CLEANER is Ready-To-Use and can be sprayed directly onto the target surface.** An extension tube can be used for hard to reach areas. Refer to the label for usage instructions and the SDS for important precautions and proper PPE.

ChemTron  
3911 SW 47th AVE  
Davie, Florida 33314  
Tel: (954) 584 - 4530  
Fax: (954) 584 - 4531  
[www.chemtron.com](http://www.chemtron.com)

